



MATERIAL SAFETY DATA SHEET

P.O. BOX 1603
EUNICE, LA 70535
866-457-0064 or 337-457-0064

GLASS BEADS FINE

SECTION I - IDENTIFICATION

Manufacturer's Name: Delta Drilling Products & Services, LLC
Physical Address: 154 Eastpark Drive
Eunice, LA 70535
Emergency Number: 866-457-0064 or 337-457-0064
Chemical Name: Glass Beads & Pavement Beads
Chemical Family: Glass Oxide
CAS Number: 65997-17-3
Trade Name: Glass Beads
HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Glass Beads are manufactured from soda-lime plate glass.

SECTION II - INGREDIENTS

Material of Components:

Nuisance Dust:

PEL: 15 mg/m³

TLV: 10 mg/m³

Nuisance Dust Respirator:

PEL: 5 mg/m³

TLV: 5 mg/m³

Glass Beads are not considered to be hazardous by the EPA under 29 CFR 1910.1200 and the Federal Register, Volume 51, Number 221, pp. 41582-41594. The RCRA status of unused material is not hazardous according to the list of CERCLA chemicals. It is not on the toxic chemical list in the Committee Print Number 99-169.

SECTION III - PHYSICAL DATA

Vapor Pressure: N/A
Vapor Density: N/A
Solubility in Water: N/A
Evaporation Rate: N/A
Melting Point: >1,100°F
Specific Gravity: 2.4-2.6
Boiling Point: Not Measurable
Appearance & Odor: White, no taste or odor

SECTION IV - FIRE & EXPLOSION HAZARD DATA

Flash Point: N/A
Flammable Limits: Does not ignite

Unusual Fire & Explosion Hazards: None
Special Fire Fighting Procedures: None
Extinguishing Media: Not a fire hazard
LEL & UEL: N/A

SECTION V - HEALTH HAZARD DATA

Health Hazards: None
Carcinogenic: No
Routes of Entry: Inhalation, Ingestion
Work/Hygienic Practices: Wash hands after handling beads and before eating.
Effects of Overexposure: May cause temporary respiratory and eye irritation.
Emergency & First Aid Procedures: If beads or dust cause eye irritation, flush the affected eye(s) with water or commercial eye wash. If existing respiratory conditions are aggravated in your use of this product, get to a well-ventilated area. Seek medical attention if condition is not alleviated.

SECTION VI - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None
Incompatibility (Materials to Avoid): None
Hazardous Decomposition Products: None
Hazardous Polymerization: Will not occur

SECTION VII - SPILL OR LEAK PROCEDURES

Steps in Case of Spilled or Released Material: Vacuum or sweep up excess material to avoid a possible slipping hazard.
Waste Disposal Method: Glass Beads may be disposed in a solid waste landfill if permitted by applicable Federal, State and Local regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: NIOSH approved dust respirator or dust mask.
Ventilation: Mechanical and local exhaust recommended when generating excessive levels of airborne dust.
Protective Gloves: As required per job.
Eye Protection: Safety glasses or goggles.

SECTION IX - SPECIAL PRECAUTIONS

None

The information herein is furnished without warranty of any kind. Employers should use this information only as supplemental to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. DELTA DRILLING PRODUCTS & SERVICES, LLC assumes no responsibility and denies all liability for any loss, damage or expense connected with the customers methods of handling, storage, use and disposal of this product.

HOME		MSDS
----------------------	--	----------------------